



Stratus AS™

Tire Specifications Table

Tire Size	Load Range	Revs	Tire Weight	Single Max Load	Single Inflation Pressure	Dual Max Load	Dual Inflation Pressure	Static Loaded Radius	Tread Depth	Max Speed	Approved Rim Width	Overall Diameter	Overall Width	Overall Width Loaded
185/60R14	SL	911 /mi	21 lbs	1,047 lbs	44 psi	-	-	-	9	130 mph	5.0-6.5 in	-	7 in	7 in
		566 /km			303 kPa				7 mm					188 mm
185/60R15	SL	873 /mi	17 lbs	1,102 lbs	44 psi	-	-	-	9	130 mph	5.0-6.5 in	-	7 in	7 in
		542 /km			303 kPa				7 mm					188 mm
185/65R14	SL	884 /mi	21 lbs	1,168 lbs	44 psi	-	-	-	9	130 mph	5.0-6.5 in	-	7 in	7 in
		549 /km			303 kPa				7 mm					188 mm
185/65R15	SL	848 /mi	18 lbs	1,235 lbs	44 psi	-	-	-	9	130 mph	5.0-6.5 in	-	7 in	7 in
		527 /km			303 kPa				7 mm					188 mm
195/60R15	SL	856 /mi	18 lbs	1,235 lbs	44 psi	-	-	-	9	130 mph	5.5-7.0 in	-	8 in	8 in
		532 /km			303 kPa				7 mm					201 mm
195/65R15	SL	829 /mi	18 lbs	1,356 lbs	44 psi	-	-	-	9	130 mph	5.5-7.0 in	-	8 in	8 in
		515 /km			303 kPa				7 mm					201 mm
195/70R14	SL	837 /mi	18 lbs	1,356 lbs	44 psi	-	-	-	9	118 mph	5.0-6.5 in	-	8 in	8 in
		520 /km			303 kPa				7 mm					198 mm
205/55R16	XL	833 /mi	23 lbs	1,477 lbs	50 psi	-	-	-	9	149 mph	5.5-7.5 in	-	8 in	8 in
		814 /mi			19 lbs				1,477 lbs					50 psi
205/55R16	-	518 /km	-	-	344 kPa	-	-	-	7 mm	-	-	-	-	213 mm
		506 /km	-	-	344 kPa	-	-	-	7 mm	-	-	-	-	208 mm
205/60R15	SL	840 /mi	19 lbs	1,356 lbs	44 psi	-	-	-	9	130 mph	5.5-7.5 in	-	8 in	8 in
		522 /km			303 kPa				7 mm					208 mm
205/60R16	SL	808 /mi	20 lbs	1,389 lbs	44 psi	-	-	-	9	130 mph	5.5-7.5 in	-	8 in	8 in
		502 /km			303 kPa				7 mm					208 mm
205/65R15	SL	814 /mi	19 lbs	1,477 lbs	44 psi	-	-	-	9	130 mph	5.5-7.5 in	-	8 in	8 in
		506 /km			303 kPa				7 mm					208 mm
205/65R16	SL	784 /mi	20 lbs	1,521 lbs	44 psi	-	-	-	9	130 mph	5.5-7.5 in	-	8 in	8 in
		487 /km			303 kPa				7 mm					208 mm
205/70R15	SL	792 /mi	19 lbs	1,565 lbs	44 psi	-	-	-	9	118 mph	5.0-7.0 in	-	8 in	8 in
		492 /km			303 kPa				7 mm					206 mm

205/75R15	SL	768 /mi 477 /km	20 lbs	1,609 lbs	44 psi 303 kPa	-	-	-	9	118 mph	5.0-7.0 in	-	8 in	8 in 203 mm
215/50R17	XL	813 /mi 505 /km	22 lbs	1,521 lbs	50 psi 344 kPa	-	-	-	9	149 mph	6.0-7.5 in	-	9 in	9 in 226 mm
215/55R16	XL	820 /mi 510 /km	21 lbs	1,609 lbs	50 psi 344 kPa	-	-	-	9	130 mph	6.0-7.5 in	-	9 in	9 in 226 mm
215/55R17	SL	788 /mi 490 /km	21 lbs	1,477 lbs	44 psi 303 kPa	-	-	-	9	149 mph	6.0-7.5 in	-	9 in	9 in 226 mm
215/60R15	SL	824 /mi 512 /km	22 lbs	1,477 lbs	44 psi 303 kPa	-	-	-	9	130 mph	6.0-7.5 in	-	9 in	9 in 221 mm
215/60R16	SL	793 /mi 793 /mi	20 lbs 21 lbs	1,521 lbs 1,521 lbs	44 psi 44 psi	-	-	-	9 9	118 mph 149 mph	6.0-7.5 in 6.0-7.5 in	-	9 in 9 in	9 in 9 in
215/60R16	-	493 /km 493 /km	-	-	303 kPa 303 kPa	-	-	-	7 mm 7 mm	-	-	-	-	221 mm 221 mm
215/60R17	SL	763 /mi 474 /km	22 lbs	1,565 lbs	44 psi 303 kPa	-	-	-	9	118 mph	6.0-7.5 in	-	9 in	9 in 221 mm
215/65R15	SL	797 /mi 495 /km	22 lbs	1,565 lbs	44 psi 303 kPa	-	-	-	9	130 mph	6.0-7.5 in	-	9 in	9 in 221 mm
215/65R16	SL	769 /mi 478 /km	22 lbs	1,653 lbs	44 psi 303 kPa	-	-	-	9	130 mph	6.0-7.5 in	-	9 in	9 in 221 mm
215/65R17	SL	740 /mi 460 /km	24 lbs	1,709 lbs	44 psi 303 kPa	-	-	-	9	118 mph	6.0-7.5 in	-	9 in	9 in 221 mm
215/70R15	SL	771 /mi 479 /km	20 lbs	1,653 lbs	44 psi 303 kPa	-	-	-	9	118 mph	5.5-7.0 in	-	9 in	9 in 218 mm
215/70R16	SL	746 /mi 464 /km	23 lbs	1,764 lbs	44 psi 303 kPa	-	-	-	9	118 mph	5.5-7.0 in	-	8 in	8 in 213 mm
215/75R15	SL	752 /mi 467 /km	22 lbs	1,764 lbs	44 psi 303 kPa	-	-	-	9	118 mph	5.5-7.0 in	-	9 in	9 in 216 mm
225/45R18	XL	799 /mi 496 /km	24 lbs	1,521 lbs	50 psi 344 kPa	-	-	-	9	149 mph	7.0-8.5 in	-	9 in	9 in 226 mm
225/50R17	SL	800 /mi 497 /km	22 lbs	1,477 lbs	44 psi 303 kPa	-	-	-	9	149 mph	6.0-8.0 in	-	9 in	9 in 234 mm
225/55R17	SL	774 /mi 481 /km	26 lbs	1,609 lbs	44 psi 303 kPa	-	-	-	9	149 mph	6.0-8.0 in	-	9 in	9 in 234 mm
225/55R18	SL	747 /mi 464 /km	24 lbs	1,653 lbs	44 psi 303 kPa	-	-	-	9	130 mph	6.0-8.0 in	-	9 in	9 in 231 mm

225/60R16	SL	779 /mi 484 /km	22 lbs	1,653 lbs	44 psi 303 kPa	-	-	-	9	130 mph	6.0-8.0 in	-	9 in	9 in 229 mm
225/60R17	SL	750 /mi 466 /km	26 lbs	1,709 lbs	44 psi 303 kPa	-	-	-	9	130 mph	6.0-8.0 in	-	9 in	9 in 229 mm
225/60R18	SL	724 /mi 450 /km	25 lbs	1,764 lbs	44 psi 303 kPa	-	-	-	9	130 mph	6.0-8.0 in	-	9 in	9 in 229 mm
225/65R16	SL	754 /mi 469 /km	23 lbs	1,764 lbs	44 psi 303 kPa	-	-	-	9	118 mph	6.0-8.0 in	-	9 in	9 in 229 mm
225/65R17	SL	728 /mi 452 /km	27 lbs	1,874 lbs	44 psi 303 kPa	-	-	-	9	130 mph	6.0-8.0 in	-	9 in	9 in 229 mm
225/70R16	SL	729 /mi 453 /km	26 lbs	1,929 lbs	44 psi 303 kPa	-	-	-	9	118 mph	6.0-7.5 in	-	9 in	9 in 229 mm
235/45R18	SL	787 /mi 489 /km	25 lbs	1,477 lbs	44 psi 303 kPa	-	-	-	9	149 mph	7.5-9.0 in	-	9 in	9 in 236 mm
235/50R18	SL	760 /mi 472 /km	24 lbs	1,609 lbs	44 psi 303 kPa	-	-	-	9	149 mph	6.5-8.5 in	-	10 in	10 in 244 mm
235/55R17	SL	763 /mi 474 /km	26 lbs	1,709 lbs	44 psi 303 kPa	-	-	-	9	130 mph	6.5-8.5 in	-	10 in	10 in 244 mm
235/55R18	SL	737 /mi 458 /km	26 lbs	1,764 lbs	44 psi 303 kPa	-	-	-	9	149 mph	6.5-8.5 in	-	10 in	10 in 244 mm
235/60R17	SL	738 /mi 459 /km	28 lbs	1,874 lbs	44 psi 303 kPa	-	-	-	9	130 mph	6.5-8.5 in	-	9 in	9 in 239 mm
235/60R18	SL	711 /mi 442 /km	29 lbs	1,929 lbs	44 psi 303 kPa	-	-	-	9	130 mph	6.5-8.5 in	-	9 in	9 in 239 mm
235/65R16	SL	740 /mi 460 /km	25 lbs	1,929 lbs	44 psi 303 kPa	-	-	-	9	118 mph	6.5-8.5 in	-	9 in	9 in 239 mm
235/65R17	SL	714 /mi 444 /km	26 lbs	1,984 lbs	44 psi 303 kPa	-	-	-	9	118 mph	6.5-8.5 in	-	9 in	9 in 239 mm
235/75R15	SL	724 /mi 450 /km	25 lbs	2,039 lbs	44 psi 303 kPa	-	-	-	9	118 mph	6.0-8.0 in	-	9 in	9 in 231 mm
245/65R17	SL	702 /mi 436 /km	28 lbs	2,149 lbs	44 psi 303 kPa	-	-	-	9	118 mph	7.0-8.5 in	-	10 in	10 in 244 mm